X<u>MULTI</u>





MICHELIN X<sup>®</sup> MULTI<sup>™</sup> TYRES MORE MILEAGE, VERSATILITY, SAFETY





# MICHELIN X<sup>®</sup> MULTI<sup>™</sup> TYRES

- MORE MILEAGE TO REDUCE COSTS
- VERSATILITY & MOBILITY TO DELIVER ON TIME ANYTIME, ANYWHERE
- SAFETY FOR YOUR DRIVERS, FOR YOUR LOAD AND OTHER ROAD USERS IN ALL CLIMATIC CONDITIONS



\*INTERNAL MICHELIN TEST 2015 vs 385/55R22.5 Michelin XFA2 A5. \*\*INTERNAL MICHELIN TEST 2014 vs 315/70R22.5 X\* Multiway<sup>112</sup> 3D XZE. \*\*\*INTERNAL MICHELIN TEST 2016 vs 315/70R22.5 X\* Multiway<sup>112</sup> 3D XDE. \*\*\*INTERNAL MICHELIN TEST 2015



### MICHELIN X<sup>®</sup> MULTI<sup>™</sup> D 315/70 R 22.5

<image>

## MICHELIN X° MULTI™ T2 385/55 R 22.5



## +20% mileage\*\*\*

- 3PMSF, M+S marking
- POWERCOIL<sup>™</sup> and REGENION<sup>™</sup>

## +20% mileage \*\*\*\*

- M+S marking
- CARBION <sup>™</sup> and REGENION <sup>™</sup>



### TECHNICAL INFORMATION

		LOAD/SPEED INDEX		TYRE LABELLING				WINTER MARKING		REGROOVING			
Dimension	Tread Pattern	Load	Speed	RRT	WG	Noise	dB	3PMSF	M+S	Original Tread Depth	Depth	Blade	Width (apx)
385/55 R 22.5	X° Multi™ F	160/158	K/L	В	В	<b>(C</b> +))	72	Y	Y	12mm	3mm	R3	8-10mm
315/70 R 22.5	X° Multi™ Z	156/150	L	с	В	<b>((-</b> •))	72	Y	Y	14mm	3mm	R3	8-10mm
315/70 R 22.5	X° Multi™ D	154/150	L	D	с	<b>((</b> f•))	75	Y	Y	16.9mm	3mm	R3	6-8mm
385/55 R 22.5	X° Multi™ T2	160	К	В	В	<b>(C</b> •))	70	-	Y	14.9mm	3mm	R3	8-10mm



#### POWERCOIL<sup>™</sup>

A new generation of more robust steel casings cables that makes them lighter with a better endurance.

#### **INFINICOIL**<sup>™</sup>

A continuous steel wire – which can be as long as 400 meters – wrapped around the tyre to provide it with greater stability throughout its lifetime. On top of benchmark endurance, tyres designed with INFINICOIL <sup>™</sup> get you more mileage.



### CARBION™

A material resulting from an innovative mixing process in which certain tread components are mixed when liquid creating a more uniform, material. This material increases mileage performance of the tyre and improves its rolling resistance to allow fuel savings.

### **REGENION**<sup>™</sup>

Self-regenerating tread blocks, supported by our mold 3D metal printing techniques, providing solid grip throughout tyre's lifetime and conditions.



Michelin products are manufactured from high quality materials to high tolerances, ensuring a uniform and consistent performance. Correct application, fitting, inflation and regular inspection of the product are essential to its safe and efficient operation. Remix and the tyre designations mentioned are trademarks of Michelin. For further information about any of the products in this document, contact your local Michelin representative or Technical Liaison helpline on 0845 366 1535.

#### FOR MORE INFORMATION:



ON THE WEB trucks.michelin.co.uk



**MYACCOUNT** myaccount.trucks.michelin.co.uk

#### CONNECT:



SEE THE TESTIMONIALS ON www.youtube.com/michelintrucktyres



LINKEDIN Michelin Trucks and Bus tyres Europe

#### FOR MORE INFORMATION:

**ON INSTAGRAM** @michelintruck



@michelintruck
FOLLOW US ON TWITTER

@MichelinTruckUK

