

# **MICHELIN<sup>®</sup>** **XSM<sup>®</sup> D2+ PRO**



***EXTREME CONDITIONS DEMAND TOUGH TIRES***



LOADERS, UNDERGROUND LOADERS AND FORKLIFTS



# MICHELIN® XSM® D2+ PRO



**INCREASE LOAD CAPACITY  
BY UP TO 18%<sup>1</sup>**



**IMPROVED AGGRESSION  
RESISTANCE<sup>2</sup>**

Due to new cables  
and NRF technology  
(reinforced sidewall plies)<sup>2</sup>



**IMPROVED  
TIRE LIFE<sup>3</sup>**

In the harshest of conditions  
thanks to optimized tread  
compounds<sup>3</sup>



**NRF  
TECHNOLOGY**

Reinforced  
sidewall plies

COMMERCIAL DESCRIPTION	CAI MSPN	Max. dist./hour km mile	Tread depth mm 32rd
XSM D2+ PRO L5S *** 17.5R25 Tubeless	822869 33183	4 2.5	78 98.3
XSM D2+ PRO L5S *** 18.00R25 Tubeless	003438 57386	4 2.5	96 120.9
XSM D2+ PRO L5S *** 26.5R25 Tubeless	183806 74661	4 2.5	102 128.5
XSM D2+ PRO L5S *** 29.5R29 Tubeless	819333 22462	4 2.5	112 141.1

<sup>1</sup> Based on comparisons of the MICHELIN® XSM® D2+ PRO and X MINE® D2 PRO to the MICHELIN® XSM® D2+ and MICHELIN® X MINE® D2, as set forth in the 2018 Michelin Data Book. Actual results may vary.

<sup>2</sup> Based on computer modeling comparisons of the MICHELIN® XSM® D2+ PRO and X MINE® D2 PRO tires compared to MICHELIN® XSM® D2+ and MICHELIN® X MINE® D2 tires. Actual results may vary.

<sup>3</sup> Based upon improved aggression resistance and on computer modeling comparing the tread compounds included in the MICHELIN® XSM® D2+ PRO to the MICHELIN® XSM® D2+. Actual results may vary.

