

**THE NEW MICHELIN® X® LINE™ ENERGY Z.
STRETCH YOUR MILEAGE.**

**20%
MORE MILEAGE
GUARANTEED**



**GET 20% MORE MILEAGE GUARANTEED
VS. LEADING COMPETITOR LINE
HAUL STEER TIRES¹.**



¹See MichelinTruck.com/XLineEnergyZ for details.



MICHELIN

A better way forward

GET 20% MORE MILEAGE VS. LEADING COMPETITOR LINE HAUL STEER TIRES.¹

What if you could get more mileage out of your line haul steer tires? Guaranteed. With the revolutionary MICHELIN® X® Line™ Energy Z tire, you can. The X Line Energy Z tire delivers 20% more mileage than leading competitors¹, along with 5% better rolling resistance than the legendary MICHELIN® XZA3®+ EVERTREAD® tire². It also comes with an ultra-fuel-efficient casing, so you can trust this tire for the long haul.

OUR BEST JUST GOT BETTER.

For decades, fleets and owner operators have loved MICHELIN® steer tires. With good reason. The XZA3+ EVERTREAD tire is legendary for its handling, high mileage and fuel efficiency. But at Michelin, we never stop innovating. We never stop improving. The new MICHELIN® X® Line™ Energy Z tire is proof. It continues the evolution of excellence, with a 5% improvement in rolling resistance⁽²⁾ without compromising any of the other tire performances. In fact, the rolling resistance improvement is in the casing, so it follows the tire throughout its life - from new to retread.



MORE MILEAGE GUARANTEED.

We're so confident the MICHELIN® X® Line™ Energy Z tire will deliver outstanding tread life, we guarantee it. We guarantee you'll see 20% more mileage compared to leading competitor line haul steer tires¹. That's mileage you can count on and the superior performance you've come to expect from MICHELIN® steer tires.

RETREADABILITY PEACE OF MIND

7 Year

7-Year 700,000 Mile
3-Retread Warranty³

Every MICHELIN® X® Line™ Energy Z tire comes with the Michelin 7/7/3 Manufacturer's Limited Casing Warranty: 700,000 miles, 7 years or 3 retreads when retreaded by an authorized MICHELIN® Retread Technologies (MRT) Dealer.



¹ See MichelinTruck.com/XLineEnergyZ for details.

² Vs. MICHELIN® XZA3+® EVERTREAD® based on internal rolling resistance tests using ISO 28580 in tire size 275/80R22.5.

³ See limited warranty for details.



MICHELIN® X® Line™ Energy Z


MICHELIN® X® Line™ Energy D

MICHELIN® X® Line™ Energy T

HOW TO MAXIMIZE YOUR TIRE PERFORMANCE.

When you combine the MICHELIN® X® Line™ Energy Z steer tire with the MICHELIN® X® Line™ Energy D drive tire and MICHELIN® X® Line™ Energy T trailer tire, in duals or with the X One Line Energy D and X One Line Energy T in wide base single tires, you get a total SmartWay® solution for line haul. Take advantage of outstanding fuel efficiency and excellent tread life on every axle.


ENERGY EFFICIENCY WITHOUT COMPROMISE A COMPLETE LINE HAUL SOLUTION



MICHELIN® X® LINE™ ENERGY Z

THE TECHNOLOGY BEHIND THE GUARANTEE.

Our best just got better. The MICHELIN® X® Line™ Energy Z tire is guaranteed to deliver 20% more mileage vs. leading competitor line haul steer tires¹ and 5% better rolling resistance than the MICHELIN® XZA3®+ EVERTREAD® tire it replaces.⁴



INDUSTRY-LEADING MILEAGE GUARANTEE

- 20% more mileage guaranteed vs. leading competitor line haul steer tires¹

PATENTED DUAL COMPOUND TREAD

- Mileage Top Layer – Controls tread stiffness and stress to reduce irregular wear
- Ultra-Fuel-Efficiency and-Retreadability Bottom Layer – minimizes internal casing temperatures for low rolling resistance and extended casing life

IMPROVED FUEL EFFICIENCY ULTRA-FUEL-EFFICIENT CASING

- 5% better rolling resistance than the ultra-fuel-efficient MICHELIN® XZA3®+ EVERTREAD® tire⁴

EVEN WEAR

- Decoupling groove and directional mini sipes provide even wear



LINE HAUL APPLICATIONS

7 Year

7-Year 700,000 Mile
3-Retread Warranty²



DIRECTIONAL TIRE
for first half of life³

MAXIMUM RETREADABILITY

Tire Size	Load Range	Catalog Number	Tread Depth	Max. Speed ⁵	Loaded Radius		Overall Diameter		Overall Width		Approved Wheels	Min. Dual Spacing ⁷		Revs Per Mile	Max. Load and Pressure Single				Max. Load and Pressure Dual			
			32nds	mph	in	mm	in	mm	in	mm	in	mm	(Measuring wheel listed first.)		in	mm	lbs	psi	kg	kPa	lbs	psi
11R22.5 (2,3)	G	03363	19	75	19.3	489	41.3	1048	11.2	285	8.25, 7.50	12.5	318	502	6175	105	2800	720	5840	105	2650	720
11R22.5 (2,3)	H	06697	19	75	19.1	485	41.3	1048	11.2	285	8.25, 7.50	12.5	318	503	6610	120	3000	830	6005	120	2725	830
275/80R22.5 (2,3)	G	03885	19	75	18.6	473	40.1	1018	11.0	280	8.25, 7.50	12.2	311	518	6175	110	2800	760	5675	110	2575	760
275/80R22.5 (2,3)	H	66205	19	75	18.7	474	40.1	1018	11.0	280	8.25, 7.50	12.2	311	518	7160	120	3250	830	6610	120	3000	830
11R24.5 (2,3)	G	74699	19	75	20.2	513	43.3	1099	11.3	286	8.25, 7.50	12.5	318	479	6610	105	3000	720	6005	105	2725	720
11R24.5 (2,3)	H	18748	19	75	20.2	513	43.3	1099	11.3	286	8.25, 7.50	12.5	318	479	7160	120	3250	830	6610	120	3000	830
275/80R24.5 (2,3)	G	05687	19	75	19.3	491	41.3	1049	10.7	273	8.25, 7.50	12.2	311	501	6175	110	2800	760	5675	110	2575	760
275/80R24.5 (2,3)	H	81281	19	75	19.3	491	41.3	1049	10.7	273	8.25, 7.50	12.2	311	501	6780	120	3075	830	6175	120	2800	830

Note: Wheel listed first is the measuring wheel.

¹ Please see MichelinTruck.com > Reference Materials > Warranties/Guarantees for details.

² 7/7/3 Manufacturer's Limited Casing Warranty: 7 Year or 700,000 Mile or 3-Retread Limited Warranty for MICHELIN® X® Line™ Energy Z tire when retreaded by an authorized Michelin Retread Technologies (MRT) Dealer only. See limited warranty for details.

³ Directional tread design (For 1st Half of Life).

⁴ Vs. MICHELIN® XZA3®+ EVERTREAD® based on internal rolling resistance tests using ISO 28580 in tire size 275/80R22.5.

⁵ Exceeding the lawful speed limit is neither recommended nor endorsed.

⁷ Overall width will change 0.1 inch (2.5 mm) for each 1/4 inch change in wheel width. Minimum dual spacing should be adjusted accordingly.

MICHELIN® tires and tubes are subject to a continuous development program. Michelin North America, Inc. reserves the right to change product specifications at any time without notice or obligations. Please consult wheel manufacturer's load and inflation limits. Never exceed wheel manufacturer's limits without permission of component manufacturer.

www.michelintruck.com

United States – Michelin North America, Inc., One Parkway South, Greenville, SC 29615, 1-888-622-2306
 Canada – Michelin North America (Canada), Inc., 2500 Daniel Johnson, Suite 500, Laval, Quebec H7T 2P6, 1-888-871-4444
 Mexico – Industrias Michelin, S.A. de C.V., Av. 5 de febrero No. 2113-A, Fracc. Industrial Benito Juarez, 7 6120, Querétaro, Qro. Mexico, 011 52 442 296 1600

Copyright © 2016 Michelin North America, Inc. The Michelin Man is a registered trademark owned by Michelin North America, Inc. All rights reserved. An Equal Opportunity Employer.

MWL43689 (1/16)

