

MICHELIN®

X-TERMINAL T™

KEEP YOUR MACHINE **ON THE MOVE** AND KEEP
YOUR TIRE **BUDGET UNDER CONTROL**



X-TERMINAL T 168A8 280/75 R 22.5 TUBELESS

X-TERMINAL T 175A8 310/80 R 22.5 TUBELESS



PORT TRACTORS AND PORT TRAILERS



MICHELIN

MICHELIN® X-TERMINAL T™

KEEP YOUR MACHINE **ON THE MOVE** AND KEEP YOUR TIRE **BUDGET UNDER CONTROL**



PORT TRACTORS AND PORT TRAILERS



■ **VERSATILITY**

Same size and same tread for all the axles (front and rear)

Reduction of stocks



■ **PRODUCTIVITY**

Low downtime due to high puncture resistance




■ **SAFETY & RELIABILITY**

High level of transversal and longitudinal grip

Excellent performance on wet ground

Tubeless tire

Anti-static properties



MICHELIN



MICHELIN TECHNICAL DATA

COMMERCIAL DESCRIPTION	CAI MSPN	Max. dist. / hour km mile	e mm inch	D mm inch	R' mm inch	RC mm inch	Tread depth mm 32rd	Dual Spacing mm inch	Cap liter gallon	Measuring Recommended Rim (1)	Other Approved Rims (1)
X-TERMINAL T 168A8 280/75 R 22.5 Tubeless (12)	004371 33193	20 12.4	279 11	995 39.2	447 17.6	3000 118.1	31 39.1	326 29	85 22.5	8.25	

Bar	6	8	10
Psi	87	116	145

Machine - Use (kg - lb)	TERMINAL TRACTOR										
STATIC	5350 11797	6900 15215	8450 18632								
5 KM/H 3 MPH	5060 11157	6450 14222	7840 17287								
10 KM/H 6 MPH	4370 9636	5800 12789	7280 16052								
25 KM/H 15 MPH	4200 9261	5300 11687	6300 13892								
40 KM/H 25 MPH	3750 8269	4675 10308	5600 12348								

COMMERCIAL DESCRIPTION	CAI MSPN	Max. dist. / hour km mile	e mm inch	D mm inch	R' mm inch	RC mm inch	Tread depth mm 32rd	Dual Spacing mm inch	Cap liter gallon	Measuring Recommended Rim (1)	Other Approved Rims (1)
X-TERMINAL T 175A8 310/80 R 22.5 Tubeless (12)	278144 03379	20 12.4	307 12.1	1084 42.7	483 19	3257 128.2	30 37.8	355 14	116 30.6	9.0	

Bar	6	8	10
Psi	87	116	145

Machine - Use (kg - lb)	TERMINAL TRACTOR										
STATIC	6890 15192	8655 19084	10420 22976								
5 KM/H 3 MPH	6160 13583	7910 17442	9660 21300								
10 KM/H 6 MPH	5930 13076	7450 16427	8970 19779								
25 KM/H 15 MPH	5080 11201	6420 14156	7760 17111								
40 KM/H 25 MPH	4450 9812	5675 12513	6900 15215								



MICHELIN

(1) More informations in the Michelin Databook 2019.



MICHELIN



OUR WEBSITE
michelinearthmover.com



TESTIMONIALS
YouTube channel



PRESSURE ADVISOR
pressureadvisor.michelinearthmover.com

AUTHORIZED DISTRIBUTOR:

A large, empty white rounded rectangular box intended for the name of the authorized distributor.