

MICHELIN®

X-TERMINAL T™

KEEP YOUR MACHINE **ON THE MOVE** AND KEEP
YOUR TIRE **BUDGET UNDER CONTROL**



X-TERMINAL T 168A8 280/75 R 22.5 TUBELESS

X-TERMINAL T 175A8 310/80 R 22.5 TUBELESS



PORT TRACTORS AND PORT TRAILERS




MICHELIN

MICHELIN® X-TERMINAL T™

KEEP YOUR MACHINE **ON THE MOVE** AND KEEP YOUR TIRE **BUDGET UNDER CONTROL**



PORT TRACTORS AND PORT TRAILERS



■ **VERSATILITY**

Same size and same tread for all the axles (front and rear)

Reduction of stocks



■ **PRODUCTIVITY**

Low downtime due to high puncture resistance




■ **SAFETY & RELIABILITY**

High level of transversal and longitudinal grip

Excellent performance on wet ground

Tubeless tire

Anti-static properties




MICHELIN



MICHELIN TECHNICAL DATA

COMMERCIAL DESCRIPTION	CAI MSPN	Max. dist. / hour km mile	e mm inch	D mm inch	R' mm inch	RC mm inch	Tread depth mm 32rd	Dual Spacing mm inch	Cap liter gallon	Measuring Recommended Rim (1)	Other Approved Rims (1)
X-TERMINAL T 168A8 280/75 R 22.5 Tubeless (12)	004371 33193	20 12.4	279 11	995 39.2	447 17.6	3000 118.1	31 39.1	326 29	85 22.5	8.25	
Bar		6				8				10	
<i>Psi</i>		87				116				145	
Machine - Use (kg - lb)	TERMINAL TRACTOR										
STATIC		5350 11797				6900 15215				8450 18632	
5 KM/H 3 MPH		5060 11157				6450 14222				7840 17287	
10 KM/H 6 MPH		4370 9636				5800 12789				7280 16052	
25 KM/H 15 MPH		4200 9261				5300 11687				6300 13892	
40 KM/H 25 MPH		3750 8269				4675 10308				5600 12348	

COMMERCIAL DESCRIPTION	CAI MSPN	Max. dist. / hour km mile	e mm inch	D mm inch	R' mm inch	RC mm inch	Tread depth mm 32rd	Dual Spacing mm inch	Cap liter gallon	Measuring Recommended Rim (1)	Other Approved Rims (1)
X-TERMINAL T 175A8 310/80 R 22.5 Tubeless (12)	278144 03379	20 12.4	307 12.1	1084 42.7	483 19	3257 128.2	30 37.8	355 14	116 30.6	9.0	
Bar		6				8				10	
<i>Psi</i>		87				116				145	
Machine - Use (kg - lb)	TERMINAL TRACTOR										
STATIC		6890 15192				8655 19084				10420 22976	
5 KM/H 3 MPH		6160 13583				7910 17442				9660 21300	
10 KM/H 6 MPH		5930 13076				7450 16427				8970 19779	
25 KM/H 15 MPH		5080 11201				6420 14156				7760 17111	
40 KM/H 25 MPH		4450 9812				5675 12513				6900 15215	



MICHELIN

(1) More informations in the Michelin Databook 2019.



MICHELIN



OUR WEBSITE
michelinearthmover.com



TESTIMONIALS
YouTube channel



PRESSURE ADVISOR
pressureadvisor.michelinearthmover.com

AUTHORIZED DISTRIBUTOR:

A large, empty white rounded rectangular box intended for the name of the authorized distributor.