

THE MICHELIN® X® LINE ENERGY Z 295

Designed specifically for the mileage performance and enhanced durability required in the auto hauler steer position.





THE MICHELIN® X® LINE ENERGY Z 295

CASING DURABILITY

Infini-Coil® Belt Technology

• Optimizes the shape of the contact patch for longer tread life and strengthens the crown against shocks and impacts

Advanced Tensile Technology

• Helps to improve the strength of the belt package

Shock Pad

• An increased layer of protection between the protector ply and the belt package to help absorb the forces of impacts and shocks

ENHANCED TREAD LIFE

Fortified Shoulder

• Enhances the ability of the tire to withstand scrub and irregular wear

Improved Compounding

 Combining the latest Michelin Advanced Technology compounds and innovative tread design features to deliver increased removal miles

Micro Sipes

• Resist the onset of irregular wear

MAXIMIZED FUEL EFFICIENCY

Fuel Efficient Casing Flex Technology

• Make this tire ultra fuel efficient when combined with our Advanced Technology compounding

Directional Tire Wear Indicator -

• Directional tread to half life, at which point tire can be rotated. Serves as a wear indicator, once the arrows are no longer visible, the tire should be removed from

Recommended	mended																	A	1	E c			
Size	Load Range	Catalog Number	Tread Depth	Max. Speed (*)		Loaded Radius		Overall Diameter		Overall Width (‡)		Approved Wheels (Measuring wheel	Spacing (‡)		Revs Per	Max. Load and Pressure Single			Max. Load and Pressure Dual				
			32nds	mph	kph	in.	mm	in.	mm	in.	mm	listed first.)	in	mm	Mile	lbs.	psi	kg.	kPa	lbs.	psi	kg.	kPa
295/60R22.5	J	06632	14	75	120	16.7	425	36.1	917	11.8	299	9.00, 9.75	13.3	338	575	7390	130	3350	900	6780	130	3075	900

Note: Wheel listed first is the measuring wheel.

(*) Exceeding the lawful speed limit is neither recommended nor endorsed.
(‡) Overall width will change 0.1 inch (2.5 mm) for each 1/4 inch change in wheel width. Minimum dual spacing should be adjusted accordingly.

(1) Based on internal tests against SmartWay® requirements. For more information on SmartWay® verified technologies, go to US: www.epa.gov/smartway or CA: https://www.nrcan.gc.ca. MICHELIN® tires and tubes are subject to a continuous development program. Michelin North America, Inc. reserves the right to change product specifications at any time without notice or obligations.

MNA, Inc. continually updates its product information to reflect any changes in Industry Standards. Printed material may not reflect the current Load and Inflation information. Please visit business michelinman.com for the latest product information. The actual load and inflation pressure used must not exceed the wheel manufacturer's maximum conditions. Never exceed a wheel manufacturer's limits without permission from the component manufacturer.

TO FIND OUT MORE

US: business.michelinman.com CA: business.michelin.ca





US: business.michelinman.com/contact-us CA: business.michelin.ca/contact-us

CONTACT US BY TELEPHONE US: 1-888-622-2306 CA: 1-888-622-2306

SmartWay

Verifiea

DIRECTIONAL TIRE

(For 1st Half of Life)

Michelin North America Inc., One Parkway South, Greenville, SC 29615 Michelin North America (Canada) Inc., 2500 Daniel Johnson Blvd., Suite 500, Laval (QC) H7T 2P6 Copyright © 2022 MNA(C)I. All rights reserved. Copyright © 2022 Michelin North America, Inc. All rights reserved. An Equal Opportunity Employer PDF Only (10/22)