

MICHELIN® XRS

THE NON-DIRECTIONAL E4R TIRE
FOR **HIGH POWERED SCRAPERS**
IN **HARSH WORKING CONDITIONS**



XRS B E4R ** 37.25 R 35 TUBELESS

XRS E4R ** 37.5 R 39 TUBELESS




SCRAPERS



THE NON-DIRECTIONAL E4R TIRE FOR **HIGH POWERED SCRAPERS** IN **HARSH WORKING CONDITIONS**



SCRAPERS



■ **LONGEVITY**

A THICK, TOUGH TREAD

Additional volume of tread rubber
available for wear




■ **PRODUCTIVITY**

Deep open tread pattern
with staggered blocks



■ **DAMAGE RESISTANCE**

Better protection against cuts
and sidewall damage





MICHELIN TECHNICAL DATA

COMMERCIAL DESCRIPTION	CAI MSPN	Max. dist. / hour km mile	TKPH ⁽¹⁾ TMPH	e mm inch	D mm inch	R' mm inch	RC mm inch	Tread depth mm 32rd	Dual Spacing mm inch	Cap liter gallon	Measuring Recommended Rim ⁽¹⁾	Other Approved Rims ⁽¹⁾
XRS B E4R ** 37.25 R 35 Tubeless	123673 75762	22 13.7	415 284	947 37.3	2364 93.1	1063 41.9	7127 280.6	53 66.8		2250 594.4	31.00/4.0	29.00/3.5
Bar	3.75		4	4.25		4.5		5	5.5		6	6.5
<i>Psi</i>	54		58	62		65		73	80		87	94
Machine - Use (kg - lb)	TRANSPORT											
STANDARD	17950 39580		18500 40793	19350 42667		20200 44541	21900 48290		23600 52038		24450 53912	25300 55787

COMMERCIAL DESCRIPTION	CAI MSPN	Max. dist. / hour km mile	TKPH ⁽¹⁾ TMPH	e mm inch	D mm inch	R' mm inch	RC mm inch	Tread depth mm 32rd	Dual Spacing mm inch	Cap liter gallon	Measuring Recommended Rim ⁽¹⁾	Other Approved Rims ⁽¹⁾
XRS E4R ** 37.25 R 39 Tubeless	856011 45909	22 13.7	453 310	976 38.4	2517 99.1	1129 44.4	7583 298.5	56 70.6		2624 693.3	32.00/4.5	
Bar	3		3.5	4		4.25		4.5	5		5.5	6
<i>Psi</i>	44		51	58		62		65	73		80	87
Machine - Use (kg - lb)	TRANSPORT											
STANDARD	18100 39911		20000 44100	21900 48290		22900 50495	23850 52589		25750 56779		26700 58874	27650 60968

⁽¹⁾ More informations in the Michelin Databook 2019.





OUR WEBSITE
business.michelin.uk



TESTIMONIALS
YouTube channel



PRESSURE ADVISOR
pressureadvisor.michelinearthmover.com

AUTHORIZED DISTRIBUTOR:

A large, empty white rectangular box with rounded corners, intended for the name of the authorized distributor.