

# MICHELIN® XMS

*E3 RADIAL TIRE FOR **LARGE SCRAPERS**  
DELIVERS **EXCELLENT TRACTION, SUPERIOR  
DAMAGE RESISTANCE** AND A **SMOOTH RIDE***



XMS B E3R \*\* 40.5/75 R 39 TUBELESS



SCRAPERS



## E3 RADIAL TIRE FOR **LARGE SCRAPERS** DELIVERS **EXCELLENT TRACTION, SUPERIOR DAMAGE RESISTANCE AND A SMOOTH RIDE**



SCRAPERS



### ■ **MAXIMUM RESISTANCE**

The square tread contour protects shoulders and sidewalls from damage



### ■ **EXCELLENT LATERAL GRIP**

The edges of the circumferential tread pattern offer exceptional lateral grip




### ■ **EXTENDED TIRE LIFE**

The innovative tread design has a high lug-to-void ratio



### ■ **OPTIMAL COMFORT**


Staggered tread blocks provide excellent operator comfort





## MICHELIN TECHNICAL DATA

COMMERCIAL DESCRIPTION	CAI MSPN	Max. dist. / hour km mile	TKPH (1) TMPH	e mm inch	D mm inch	R' mm inch	RC mm inch	Tread depth mm 32rd	Dual Spacing mm inch	Cap liter gallon	Measuring Recommended Rim (1)	Other Approved Rims (1)
XMS B E3R ** 40.5/75 R 39 Tubeless	379296	33	766	998	2588	1151	7770	51		2940	32.00/4.5	
	93211	20.5	525	39.3	101.9	45.3	305.9	64.3		776.7		
Bar	3		3.5	4		4.25		4.5		5	5.5	6
Psi	44		51	58		62		65		73	80	87
Machine - Use (kg - lb)	<b>TRANSPORT</b>											
<b>STANDARD</b>	20200		22400	24600		25700		26800		29000	30100	31200
	44541		49392	54243		56669		59094		63945	66371	68796



**MICHELIN**

(1) More informations in the Michelin Databook 2019.



**OUR WEBSITE**  
business.michelin.uk



**TESTIMONIALS**  
YouTube channel



**PRESSURE ADVISOR**  
pressureadvisor.michelinearthmover.com

**AUTHORIZED DISTRIBUTOR:**

A large, empty white rounded rectangular box intended for the name of the authorized distributor.