

Publications from research conducted in the Michelin Ecological Reserve

April 2022

- Acuña Juncá, F., F. Camurugi, & E. de Almeida Mercês. 2012. The tadpole of *Hypsiboas pombali* (Caramaschi, Pimenta & Feio, 2004) (Anura, Hylidae). **Zootaxa** 3184, 64-66.
- Aguirre-Santoro, J. 2017. Taxonomy of the *Ronnbergia* Alliance (Bromeliaceae: Bromelioidea): new combinations, synopsis, and new circumscriptions of *Ronnbergia* and the new resurrected genus. **Plant Systematics and Evolution** 303 (online): 1-26.
- Albano, C. 2009. Birding in north-east Brazil, part 2: The vast state of Bahia. **Neotropical Birding** 7: 49-61.
- Almeida, E., S. Costa & R. Mariano. 2016. A new species of genus *Hermanella* Needham & Murphy (Ephemeroptera: Leptophlebiidae) from Northeastern Brazil. **Zootaxa** 4078(1): 121-126.
- Almeida, E. & R. Mariano. 2015. New species and first records of *Macunahyphes* Dias, Salles & Molineri, 2005 (Ephemeroptera: Leptohyphidae) from Bahia state, Brazil. **Zootaxa** 4000(4): 497-500.
- Almeida Mercês, E. & F. Acuña Juncá. 2012. The tadpole of *Scinax juncae* (Nunes & Pombal 2010) (Anura, Hylidae). **Zootaxa** 3416, 41-43.
- Aragão, M. & S.R. Andena. 2016. The social wasps (Hymenoptera: Vespidae: Polistinae) of a fragment of Atlantic Forest in southern Bahia, Brazil. **Journal of Natural History**, DOI: 10.1080/00222933.2015.1113317
- Araujo, A.C. et al. 2018. Spatial distance and climate determine modularity in a cross-biomes plant-hummingbird interaction network in Brazil. **Journal of Biogeography** 45(8): 1846-1858.
- Assunção, E.D., E.M. da Silva, T.X.S. Santos, J.D. da Cruz, A.C.S. Melo, G.M.M. Santos & C.C.B. Filho. 2008. Levantamento preliminar de térmitas em bosques de mangues na Reserva Ecológica da Michelin, Igrapiúna, Bahia, Brasil. **Sitientibus** 8(3/4): 322-325.
- Barth, A., V.A. Souza, M. Solé & M.A. Costa. 2013. Molecular cytogenetics of nucleolar organizer regions in *Phyllomedusa* and *Phasmahyla* species (Hylidae, Phyllomedusinae): A cytotaxonomic contribution. **Genetics and Molecular Research** 12(3): 2400-2408.
- Bastos, C.J.P. 2011. *Cheilolejeunea ornata* (Lejeuneaceae), a new species from Brazilian Atlantic Forest. **Journal of Bryology** 33(1): 86-88.
- Bastos, C.J.P. & S.B.V. Boas-Bastos. 2008. Musgos acrocárpicos e cladocárpicos (Bryophyta) da Reserva Ecológica da Michelin, Igrapiúna, Bahia, Brasil. **Sitientibus** 8(3/4): 275-279.

- Bastos, C.J.P. & S.B.V. Boas-Bastos. 2008. Hepáticas (Marchantiophyta) da Reserva Ecológica da Michelin, Igrapiúna, Bahia, Brasil. **Sitientibus** 8(3/4): 280-293.
- Batalha-Filho, H., M. Maldonado-Coelho & C.Y. Miyaki. 2019. Historical climate changes and hybridization shaped the evolution of Atlantic Forest spinetails (Aves: Furnariidae). **Heredity**: <https://doi.org/10.1038/s41437-019-0234-y>.
- Belasen, A.M., K.R. Amses, R.A. Clemons, C.G. Becker, L.F. Toledo & T.Y. James. 2022. Habitat fragmentation in the Brazilian Atlantic Forest is associated with erosion of frog immunogenetic diversity and increased fungal infections. **Immunogenetics**: doi.org/10.1007/s00251-022-01252-x.
- Boas-Bastos, S.B.V. 2009. *Hypnella symphyodontoides* (Bryophyta: Pilotrichaceae), a new species from Brazil. **Journal of Bryology** 31: 20-22.
- Boas-Bastos, S.B.V. & C.J.P. Bastos. 2009. Musgos pelurocárpicos dos fragmentos da Mata Atlântica da Reserva Ecológica da Michelin, município de Igrapiúna, BA, Brasil. II – Hypnales (Bryophyta: Bryopsida). **Acta Botânica Brasileira** 23(3): 630-643.
- Boas-Bastos, S.B.V. & C.J.P. Bastos. 2008. Neckeraceae (Bryophyta, Bryopsida) da Reserva Ecológica da Michelin, Município de Igrapiúna, Bahia, Brasil. **Sitientibus** 8(3/4): 263-274.
- Bonfim, F.C.G., P.H.C. Cordeiro, C.A. Peres, G.R. Canale & C.S.S. Bernardo. 2018. Combining modeling tools to identify conservation priority areas: A case study of the last large-bodied avian frugivore in the Atlantic Forest. **Global Ecology and Conservation**: [doi: https://doi.org/10.1016/j.gecco.2018.e00426](https://doi.org/10.1016/j.gecco.2018.e00426).
- Brescovit, A.D., A.J. Santos & C.M.P. Leite. 2011. A second species of the orb-weaving spider genus *Melychiopharis* from South America (Araneae: Arandeidae). **Zootaxa** 2798: 61-63.
- Cambui, E.C.B., R. Nogueira de Vasconcelos, E. Mariano-Neto, B.F. Viana & M.Z. Cardoso. 2017. Positive forestry: The effect of rubber tree plantations on fruit feeding butterfly assemblages in the Brazilian Atlantic forest. **Forest Ecology and Management** 397: 150-156.
- Campos, R. & R. Mariano. 2019. New species of *Thraulodes* Ulmer 1920 (Ephemeroptera: Leptophlebiidae: Atalophlebinnae) from northeastern Brazil. **Zootaxa** 4565(2): 213-222.
- Campos, R., R. Mariano & A.R. Calor. 2019. *Askola* Peters 1969 (Ephemeroptera: Leptophlebiidae: Atalophlebinnae): an updated review under cladistics approach. **Zoologischer Anzeiger** 283: 69-92.
- Campos, R., R. Mariano & A.R. Calor. 2016. Mayflies (Ephemeroptera) from Reserva Ecológica Michelin, Bahia, Brazil. **Aquatic Insects** 37(4): 303-315.

- Camurugi, F., D.L. Röhr & F.A. Juncá. 2015. Differences in advertisement calls and vocal behavior in *Hypsiboas atlanticus* (Anura: Hylidae) among microhabitats. **Herpetologica** 71(4): 243-251.
- Camurugi, F. & F. Juncá. 2013. Reproductive biology of *Hypsiboas atlanticus* (Anura: Hylidae). **Herpetology Notes** 61: 489-495.
- Camurugi, F., T. Meneses Lima, E. de Almeida Mercês & F. Acuña Juncá. 2010. Anurans of the Reserva Ecológica da Michelin, Municipality of Igrapiúna, State of Bahia, Brazil. **Biota Neotropica** 10(2): 1-8.
- Carvalho, M.L.S. de, M.C. Dórea, K.M Pimenta & R.P. de Oliveira. 2012. *Piresia palmula*: a new species of herbaceous bamboo (Poaceae, Olyreae) endemic to the Atlantic Rainforest, southern Bahia, Brazil. **Systematic Botany** 37(1): 134-138.
- Cassiano de Oliveira, H. & S. Mota de Oliveira. 2016. Vertical distribution of epiphytic bryophytes in Atlantic Forest fragments in northeastern Brazil. **Acta Botanica Brasilica** 30(4): 609-617.
- Cassiano de Oliveira, H. & C.D. Passos Bastos. 2014. Briófitas epífitas de fragmentos de Floresta Atlântica da Reserva Ecológica Michelin, Estado da Bahia, Brasil. **Hoehnea** 41(4): 631-646.
- Castro, I.M., C.V. de Mira-Mendes & M. Solé. 2020. Diet of *Chiasmocleis cordeiroi* Caramashi & Pimenta, 2003 from the Atlantic Rainforest in Southern Bahia, Brazil. **Zoology and Ecology** 30(1): 52-56.
- Cavalcante, B.P., E.H. de Souza, L.M. Versieux & A.P. Martinelli. 2020. *Hohenbergia ituberaensis* (Bromeliaceae): a new white-flowered species from Bahia, Brazil. **Phytotaxa** 439(2): 119-126.
- Chizmar, C. 2012. Using leaf level traits to develop tolerance rankings of native tree species for restoration under-planting of rubber plantations in Brazil. **Tropical Resources** 31: 67-77.
- Dechner, A. 2020. Predicting the tangible and intangible costs of co-occurring with wildlife. **Global Ecology and Conservation** 23: <https://doi.org/10.10116/j.gecco.2020.e01091>.
- Dechner, A. 2021. Emotions and the tolerance of large carnivores: pumas in a crop-based landscape in Brazil. **Environmental Conservation**; doi: 10.1017/S0376892920000533.
- Dechner, A., K.M. Flesher, C. Lindell, T. Veiga de Oliveira & B.A. Maurer. 2018. Determining carnivore habitat use in a rubber/forest landscape in Brazil using multispecies occupancy models. **PLoS ONE** 13(4): e0195311.
- Dórea, M.C., D.W.J. Santos, R.P. Oliveira, L.S. Funch & F.A.R. Santos. 2018. Reproductive traits related to anemophily and insect visitors in two species of Poaceae from the Brazilian Atlantic rainforest. **Brazilian Journal of Botany**: DOI 10.007/s40415-0454-Z.

- Dórea, M.C., R.J.P. de Oliveira, H. Banks & F.A.R. dos Santos. 2017. Sculptural elements on the ectexine surface of Poaceae pollen from Neotropical forests: patterns and implications for taxonomic and evolutionary studies in this family. **Botanical Journal of the Linnean Society** 185: 542-571.
- Fecchio, A., J.A. Bell, R.B.P. Pinheiro, V.R. Cueto, C.A. Gorosito, H.L. Lutz, M.G. Gaiotti, L.V. Paiva, L.F. França, G. Toledo-Lima, M. Tolentino, J.B. Pinho, V.V. Tkach, C.S. Fontana, J.M. Grande, M.A. Santillán, R. Caparroz, A.L. Roos, R. Bessa, W. Nogueira, T. Moura, E.C. Nolasco, K.J.M. Comiche, K. Kirchgatter, L.O. Guimarães, J.H. Dispoto, M.A. Marini, J.D. Weckstein, H. Batalha-Filho & M.D. Collins. 2019. Avian host composition, local speciation and dispersal drive the regional assembly of avian malaria parasites in South American birds. **Molecular Ecology** 28: 2681-2693.
- Ferreira, A.S., Y. Le Pendu & R.A. Martinez. 2017. The use of a mixed rubber landscape by tufted-eared marmosets. **Primates**: <https://doi.org/10.1007/s10329-017-0654-4>.
- Ferreira, F.M., C. Van Den Berg, V.C. Hollowell & R.J. Oliveira. 2013. *Parianella* (Poaceae, Bambusoideae): morphological and biogeographical information reveals a new genus of herbaceous bamboos from Brazil. **Phytotaxa** 77(2): 27-32.
- Figuerêdo Rosa, J, M. Ramalho & M.C. Arias. 2016. Functional connectivity and genetic diversity of *Eulaema atleticana* (Apidae, Euglossina) in the Brazilian Atlantic Forest Corridor: assessment of gene flow. **Biotropica** 48(4): 509-517.
- Flesher, K.M. & E.P. Medici. 2022. The distribution and conservation status of *Tapirus terrestris* in the South American Atlantic Forest. **Neotropical Biology and Conservation** 17: 1-19. doi: 10.3897/neotropical.17.e71867
- Flesher, K.M. 2015. The distribution, habitat use, and conservation status of three Atlantic forest monkeys (*Sapajus xanthosternos*, *Callicebus melanochir*, *Callithrix* sp.) in an agroforestry/forest mosaic in southern Bahia, Brazil. **International Journal of Primatology** 36(6): 1172-1197.
- Flesher, K.M. 2010. Registers of *Crax blumenbachii* in the Michelin Ecological Reserve. Pp. 24-26. In Alvarez, A.D. & Develey, P.F. (Orgs). **Conservação do Mutum-do-Sudeste (Crax blumenbachii) – Cinco anos de implementação do Plano de Ação**. SAVE Brasil. São Paulo, Brasil.
- Flesher, K. 2005. A history of tapir extinction in the Atlantic Forests between the Rio de Contas and Rio Paraguaçu, Bahia, Brazil. **Tapir Conservation** 14/1(17): 13-15.
- Flesher, K. 1999. Primates of the Ituberá Forest Complex, Bahia, Brazil. **Neotropical Primates** 7(4): 127-131.
- Forlani, M.C., C.V. de Mira Mendes, I. Ribeiro Dias, D. Silva Ruas, J.F. Riva Tonini & R. O. de Sá. 2013. The advertisement calls and distribution of two sympatric species of *Chiasmocleis* (Méhely 1904) (Anura, Microhylidae, Gastrophryninae) from the Atlantic Forest. **South American Journal of Herpetology** 8(1): 46-51.

- Françoso, E., F. Freitas de Oliveira & M.C. Arias. 2015. An integrative approach identifies a new species of bumblebee (Hymenoptera: Apidae: Bombini) from northeastern Brazil. **Apidologie**, DOI 10.1007/s13592-015-0385-7.
- Freitas, A.M. de, A.J. Suzart Argôlo, C. Gonner & D. Veríssimo. 2014. Biology and conservation status of Piraja's lancehead snake *Bothrops pirajai* Amaral, 1923 (Serpentes: Viperidae), Brazil. **Journal of Threatened Taxa** 6(10): 6326-6334.
- Guatimosim, E., A.L. Firmino, J.L. Bezerra, O.L. Pereira, R.W. Barreto & P.W. Crous. 2015. Towards a phylogenetic reappraisal of Parmulariaceae and Asterinaceae (Dothideomycetes). **Persoonia** 35: 230-241.
- Heer, K., M. Helbig-Bonitz, R.G. Fernandes, M.A.R. Mello, & E.V. Kalko. 2015. Effects of land use on bat diversity in a complex plantation-forest landscape in northeastern Brazil. **Journal of Mammalogy** DOI:10.1093/jmammal/gyv068.
- Hilo de Souza, E. & E.M.C. Leme. 2021. New *Cryptanthus* species (Bromeliaceae: Bromelioideae) from the state of Bahia Brazil. **Phytotaxa** 523(2): 179-191.
- Hilo de Souza, E., L.Y.S. Aona, F.V.D. Souza, & E.M.C. Leme. 2021. *Lymania involucrata* (Bromeliaceae: Bromelioidea), a new ornamental species from Bahia, Brazil. **Phytotaxa** 489(2): 209-215.
- Huber, B.A. 2016. Spider diversity and endemism in a South American hotspot: 20 new species of *Carapoia* (Araneae: Pholcidae) from Brazil's Atlantic Forest. **Zootaxa** 4177: 1-69.
- Jesus Junior, L.A., R.P. Oliveira, K.R.B. Leite & L.B. Silva. 2013. Comparative analysis of leaf anatomy in two *Parodiolyra* species (Poaceae: Olyreae) occurring on forests in Eastern Brazil. **Brazilian Journal of Biology** 72(1): 205-210.
- Juncá, F.A., F. Camurugi & E.A. Mercês. 2012. The tadpole of *Hypsiboas pombali* (Caramaschi, Pimenta & Feio, 2004) (Anura, Hylidae). **Zootaxa** 3184:64-66.
- Kierulff, M.C.M., G.R. Santos, G.R. Canale, C.E.G. Carvalho, C.R. Cassano, P.S. Gouveia, C.A.F.R. Gatto, M. Araújo, P. Vila Nova, A.C. Marques, P.S. Santos & J.C. Pádua. 2005. Avaliação das populações do macaco-prego-do-peito-amarelo (*Cebus xanthosternos*) e proposta de estratégia para manejo e conservação da espécie. **Technical report - Relatorio Final**, IESB & CI Brasil, 86 pp.
- Leme, E.M.C. & L.J.C. Kollman. 2013. Miscellaneous new species of Brazilian Bromeliaceae. **Phytotaxa** 108(1): 1-40.
- Leme, E.M.C. & L.J.C. Kollman. 2011. New species and a new combination of Brazilian Bromeliaceae. **Phytotaxa** 16: 1-36.
- Lernould, J.M. 2010. Le Capucin à poitrine jaune: le programme de conservation a trente ans! **CEPA - Conservation des Espèces et des Populations Animales** 21: 10-13.

- Lima, L.R.C., F.F. Salles, U.S. Pinheiro & E. Quinto. 2010. Espécies de Baetidae (Ephemeroptera) do Sul da Bahia, com descrição de uma nova espécie de *Paracloeodes* Day. **Neotropical Entomology** 39(5): 725-731.
- Lima, P.C. & Z.S. Magalhães. 2012. Primeiro registro documentado do ninho de *Myrmotherula urosticta* (Sclater, 1857) (Passeriformes: Thamnophilidae) em Ituberá, Bahia. **Atualidades Ornitológicas** 165: 4-5.
- Lima, P.C., Z.S. Magalhães & C. Albano. 2008. Registro da reprodução do Mutum-do-Sudeste (*Crax blumenbachii*) em Ituberá, Bahia. **Atualidades Ornitológicas** 141: 10-11.
- Lima, T.M. & F.A. Juncá. 2008. A herpetofauna de serapilheira da Reserva Ecológica da Michelin, Ituberá, Bahia, Brasil. **Sitientibus** 8(3/4): 316-321.
- Lourenço de Moraes, R., I.R. Dias, C.V. Mira-Mendes, R.M. de Oliveira, A. Barth, D.S. Ruas, M. Vences, M. Solé & R.P. Bastos. 2018. Diversity of miniaturized frogs of the genus *Adelophryne* (Anura: Eleutherodactylidae): A new species from the Atlantic Forest of northeast Brazil. **PLoS ONE** 13(9): e0201781.
- Lourenço de Moraes, R., R.B. Ferreira, C.V. Mira-Mendes, C.Z. Zocca, T. Medeiros, D.S. Ruas, R. Rebouças, L.F. Toledo, E.D. Brodie Jr. & Mirco Solé. 2016. Escalated antipredator mechanisms of two neotropical marsupial treefrogs. **Herpetological Journal** 26: 237-244.
- Ludovic, J. & C. Kollmann. 2019. Novelties in Brazilian Begoniaceae I: two new species from Bahia. **Phytotaxa** 404(2): 65-73.
- Marciano, E, Jr., C.V. Mira-Mendes, I. Ribeiro Dias, F. Fonseca Ribeiro de Oliveira & L. de Oliveira Drummond. 2015. Defensive behavior of *Dipsas catesbyi*. **Herpetological Review** 46(4): 643.
- Marcolin, C.R., E.C. da Silva, M.C.L.S.A. Rocha & T.M. Lima. 2008. Biomassa de Formicidae em fragmentos de Mata Atlântica e em uma monocultura de seringueira nas Plantações Michelin da Bahia, Igrapiúna, Bahia. **Sitientibus** 8(3/4): 294-297.
- Mercês, E.A. & F.A. Juncá. 2010. Girinos de três espécies de *Aplastodiscus* Lutz, 1950 (Anura – Hylidae) ocorrentes no Estado da Bahia, Brasil. **Biota Neotropica** 10(4): 167-172.
- Mercês, E.A., F.A. Juncá & F.S.C. Casal. 2009. Girinos de três espécies do gênero *Rhinella* Fitzinger, 1826 (Anura – Bufonidae) ocorrentes no Estado da Bahia, Brasil. **Sitientibus** 9(2/3): 133-138.
- Mira-Mendes, C.V., D.S. Ruas, R.M. de Oliveira, I.M. Castro, I.R. Dias, J.E. Baumgarten, F.A. Juncá & M. Solé. 2018. Amphibians of the Reserva Ecológica Michelin: a high diversity site in the lowland Atlantic Forest of Southern Bahia, Brazil. **ZooKeys** 753:1-21.

- Mira Mendes, C.V., D.S. Ruas, I. Castro, M. Solé & J.E. Baumgarten. 2016. Defensive behaviours in the Bahia forest frog *Macrogenioglottus alipioi* Carvalho, 1946 (Anura: Odontophrynidae), with a review of the stiff-legged posture. **Herpetology Notes** 9: 91-94.
- Mira Mendes, C.V., E. Marciano Jr., D. Silva Ruas, R.M. de Oliveira & M. Solé. 2013. Advertisement call of *Scinax strigilatus* (Spix, 1824) (Anura: Hylidae) from southern Bahia, Brazil. **Zootaxa** 3647 (3): 499-500.
- Mira Mendes, C.V., R.M. de Oliveira, D.S. Ruas, I. Ribeiro Dias & A.J. Suzart Argôlo. 2013. Defensive behavior of *Xenopholis scalaris*. **Herpetological Review** 44(4): 699.
- Mira Mendes, C.V., D. Silva Ruas & M. Solé. 2012. Predation attempt of *Trachycephalus mesophaeus* (Hylidae) by *Leptodactylus* cf. *latrans* (Leptodactylidae). **Herpetology Notes** 5: 163-164.
- Mira Mendes, C.V., D. Silva Ruas, R. Lourenço-de-Moraes, D. Rödder & M. Solé. 2012. The advertisement call of *Gastrotheca fissipes* Boulenger, 1888 (Anura, Hemiphraactidae) with comments on its distribution. **Zootaxa** 3312: 62-64.
- Mira Mendes, C.V., D.S. Ruas & M. Solé. 2012. *Hypsiboas semilineatus* predation on *Dendropsophus elegans* (Anura: Hylidae) in southern Bahia, Brazil. **Salamandra** 48(4): 235-236.
- Monteiro, D. & M. Ramalho. 2010. Abelhas generalistas (Meliponina) e o sucesso reprodutivo de *Stryphnodendron pulcherrimum* (Fabales: Mimosaceae) com florada em massa na Mata Atlântica, BA. **Neotropical Entomology** 39(4): 519-526.
- Nagy-Reis, M.B., *et al.* (697 contributors, including K. Flesher, A. Dechner). 2020. Neotropical carnivores: a data set on carnivore distribution in the Neotropics. **Ecology** DOI: 10.1002.ecy 3128-sup-0002-metadatas 1.
- Nascimento, F.E.L., J.P. Botero, M. Aragão & S.R. Andena. 2017. Faunistic analysis of Cerambycidae (Insecta: Coleoptera) in an area of Atlantic Forest. **Journal of Natural History** 51:2429-2441.
- Nemésio, A. 2014. The orchid-bee faunas (Hymenoptera: Apidae) of 'Reserva Ecológica Michelin', 'RPPN Serra Bonita', and one Atlantic Forest remnant in the state of Bahia, Brazil, with new geographic records. **Brazilian Journal of Biology** 74(1): 16-22.
- Nemésio, A. & H.L. Vasconcelos. 2013. Beta diversity of orchid bees in a tropical biodiversity hotspot. **Biodiversity and Conservation** 22: 1647-1661.
- Nemésio, A., N.C.M. Crântola, H.L. Vasconcelos, J.C. Nabout, F.A. Silveira & M.A. Del Lama. 2012. Searching for *Euglossa cyanochlora* Moure 1996 (Hymenoptera: Apidae), one of the rarest bees in the world. **Journal of Insect Conservation** 16(5): 745-755.
- Nolasco, E.C., A.G. Coelho & C.G. Machado. 2013. First verified record of ornithophily in *Calathea* (Marantaceae). **Bioscience Journal** 29(5): 1327-1337.

- Oliveira, R.M. de, A.C. Schilling & M. Solé. 2018. Trophic ecology of two *Pithecopus* species (Anura: Phyllomedusidae) living in syntopy in southern Bahia, Brazil. **Studies on Neotropical Fauna and Environment** doi.org/10.1080/01650521.2018.1485313.
- Oliveira, R.M. de, D.S. Ruas, C.V. de Mira Mendes & M. Solé. 2014. Advertisement call of *Rhinella crucifer* (Wied-Neuwied, 1821) (Anura: Bufonidae) from southern Bahia, Brazil. **Zootaxa** 3784(1): 97-98.
- Oliveira, R.M. de, C.V. de Mira Mendes, D. Silva Ruas, M. Sole, L.C. Pinho & R. Reboucas. 2012. Myiasis on *Hypsiboas atlanticus* (Caramaschi & Velosa, 1996) (Anura: Hylidae) from southern Bahia, Brazil. **Herpetology Notes** 5: 493-494.
- Pareja Mejía, D., D. Flores Padrón & M. Solé. 2021. A new spool-and-line attachment methods to track short movements in phyllomedusid frogs (Anura: Phyllomedusidae). **Herpetology Notes** 14: 125-131.
- Pereira, T.P.L., F. Bravo & J.H.C. Delabie. 2021. Intranest mutualisms between fire ant *Solenopsis virulens* (Fr. Smith) (Hymenoptera: Formicidae) and two families of Hemiptera (Membracidae, Macrophlebiade) in Brazilian Atlantic Forest. **EntomoBrasilis** 14: e966. DOI: 10.12741/ebrazilis.v14.e966.
- Pereira, T.P.L., F. Bravo, M.X. Araújo, D. Cordeiro, C. Chagas & J.H.C. Delabie. 2015. Moth flies (Diptera: Psychodidae) collected in colonies of the fire ant *Solenopsis virulens* (Smith) (Hymenoptera: Formicidae) with a description of two new species. **Sociobiology** 62(1): 18-22.
- Peres, M.C.L., K.R. Benati, A.R.S. de Andrade, M.V.A. Guimaraes, T.S. Melo, A.D. Brescovit & J.H.C. Delabie. 2014. Tree-fall gaps effects on spider (Araneae) assemblages in an Atlantic Forest landscape in northeastern Brazil. **Journal of Animal Sciences** 4: 118-133.
- Pimenta, K.M., M. da Costa Dórea & R.P. e Oliveira. 2012. Panicoideae (Poaceae) em remanescentes florestais do sul da Bahia: aspectos taxonômicos e ecológicos. **Rodriguésia** 63(4), 23 pp.
- Pineiro-Passos, F., A. Rodrigues Santos de Andrade, F.A. Trindade Gondim-Silva, T. da Silva Melo & M.C. Lima Peres. 2016. Distribution extension of *Flirtea picta* Perty, 1832 (Opiliones: Cosmetidae) to Brazilian Atlantic Forest with notes on ecology. **Check List** 12(1): 1-4.
- Piotto, D., K. Flesher, A.C.P. Nunes, S. Rolim, M. Ashton & F. Montagnini. 2020. Restoration plantings of non-pioneer tree species in open fields, secondary forest and rubber plantations in Bahia, Brazil. **Forest Ecology and Management** 474. 118389.
- Porto, R., J.R. da Rocha Filho, R. Johnsson & E. Neves. 2015. New species of *Oxychona* (Bulimulidae) from Michelin Ecological Reserve (Bahia state, northeastern Brazil). **Journal of Conchology** 42(3): 105-110.

- Ramalho, M., J. Figueredo Rosa, M. Dantas e Silva, M. Silva & D. Monteiro. 2013. Spatial distribution of orchid bees in a rainforest/rubber agro-forest mosaic: habitat use or connectivity. **Apidologie** 44(4): 385-403.
- Rappaport, D. & F. Montagnini. 2014. Tree species growth under a rubber (*Hevea brasiliensis*) plantation: native restoration via enrichment planting in southern Bahia, Brazil. **New Forests** 45: 715-732.
- Rebouças, R. & M. Solé. 2015. Diet of *Adenomera thomei* (Almeida and Angulo, 2006) (Anura: Leptodactylidae) from a rubber plantation in southern Bahia, Brazil. **Studies on Neotropical Fauna and Environment**, DOI: 10.1080/01650521.2015.1048613.
- Resende, J.J., P.E.C. Peixoto, E.N. Silva, J.H.C. Delabie & G.M.M. Santos. 2013. Arboreal ant assemblages respond differently to food sources and vegetation physiognomies: a study in the Brazilian Atlantic Rain Forest. **Sociobiology** 60(2): 174-182.
- Resende, J., G.M. de M. Santos, I.C. do Nascimento, J.H.C. Delabie & E.M. da Silva. 2011. Communities of ants (Hymenoptera – Formicidae) in different Atlantic Rain Forest phytophysionomies. **Sociobiology** Vol. 58(3): 1-22.
- Resende, L.P.A., V. Passos Rios & H.F. Japyassú. 2019. The survival of the shyest: a computational model shows the effect of web structure on the origins of social spiders. **Animal Behaviour** 155: 229-239.
- Rios, E., P.J.K. McGowan, N.J. Collar, M. Benchimol, G.R. Canale, F. Olmos, M. Santos-Filho & C.S.S. Bernardo. 2020. Which is worse for the red-billed curassow: habitat loss or hunting pressure. **Oryx** DOI 10.1017/S0030605319000711.
- Rocha-Santos, L. & D.C. Talora. 2012. Recovery of Atlantic Rainforest areas altered by distinct land-use histories in northeastern Brazil. **Tropical Conservation Science**, 5(4), 475-494.
- Rondinelli, S.F., E.C.B. Cambuí, M.M. Nogueira, M.M.F. Vargens & M.C. Camardelli. 2008. Fauna associada à bromélia *Viresea procera* (Martius ex Schults Filius) Wittmack em monoculturas de seringueiras na Reserva Ecológica Michelin (Baixo Sul da Bahia, Brasil). **Sitientibus** 8(3/4): 311-315.
- Rosa, J.F., M. Ramalho, D. Monteiro & M. Dantas Silva. 2015. Permeability of matrices of agricultural crops to Euglossina bees (Hymenoptera, Apidae) in the Atlantic rain forest. **Apidologie** DOI: 10.1007/s13592-015-0359-9.
- Rosa, J.F. & M. Ramalho. 2011. The spatial dynamics of diversity in Centridini bees: the abundance of oil-producing flowers as a measure of habitat quality. **Apidologie** 40(5).
- Rosa, J.F., J.P.L. de Oliveira, Z.E.R. Gurgel, C.S.A. Duarte & M. Ramalho. 2008. Estratificação da atividade de coleta de essência por abelhas Euglossina, em um remanescente de Mata Atlântica, Reserva da Michelin, Bahia, Brasil. **Sitientibus** 8(3/4): 307-310.

- Santos, F.J.M., A.S. Protázio, C.W.N. Moura & F.A. Juncá. 2015. Diet and food partition among benthic tadpoles of three anuran species in Atlantic Forest tropical streams. **Journal of Freshwater Ecology**, DOI: 10.1080/02705060.2015.1015109.
- Sena, M., C.A. Souza Costa, C.V. de Mira Mendes, I. Castro & D. Silva Ruas. 2016. Defensive behavior of *Siphlophis compressus*. **Herpetological Review** 47(2): 315-316.
- Silva, D.P., B. Vilela, P. De Marco Jr. & A. Nemésio. 2014. Using ecological niche models and niche analyses to understand speciation patterns: The case of sister neotropical orchid bees. **PLoS ONE** 9(11): e113247.
- Silva, M.D. & M. Ramalho. 2014. Tree species used for nesting by stingless bees (Hymenoptera: Apidae: Meliponini) in the Atlantic Rain Forest (Brazil): Availability or Selectivity. **Sociobiology** 61(4): 415-422.
- Silva, M.D., M. Ramalho & D. Monteiro. 2014. Communities of social bees (Apidae: Meliponini) in trap-nests: the spatial dynamics of reproduction in an area of Atlantic Forest. **Neotropical Entomology**.
- Silva, M.D., M. Ramalho & D. Monteiro. 2013. Diversity and habitat use by stingless bees (Apidae) in the Brazilian Atlantic Forest. **Apidologie** 44: 699-707.
- Silva, M.D., M. Ramalho, C.T. Florence, P.C.G. Leão, J.P.L. Oliveira, D. Monteiro, J.F. Rosa & M.E. Almeida. 2008. Heterogeneidade espacial e diversidade de abelhas Meliponini na Mata Atlântica. **Sitientibus** 8(3/4):298-301.
- Silva, L.M., H. Batlaha-Filho, H.F. Jayassú & C.N. El-Hani. 2020. Population history of a social spider reveals connection between South American tropical forests. **Zoologischer Anzeiger** 285: 139-146.
- Silva Ruas, D., C.V. de Mira Mendes, M.L. Del-Grande & M. Solé. 2013. *Aparasphenodon brunoi* Miranda-Ribeiro, 1920 (Anura: Hylidae): Distribution extension and geographic distribution map for Bahia state, Brazil. **Check List** 9(4): 858-859.
- Silva Ruas, D., C.V. de Mira Mendes, B.B. Szpeiter & M. Solé. 2012. The tadpole of *Rhinella crucifer* (Wied-Neuwied, 1821) (Amphibia: Anura: Bufonidae) from southern Bahia, Brazil. **Zootaxa** 3299: 66-68.
- Silva Ruas, D., C.V. de Mira Mendes, I. Ribeiro Dias & M. Solé. 2012. Description of the advertisement call of *Dendropsophus haddadi* (Bastos and Pombal 1996) (Anura: Hylidae) from southern Bahia, Brazil. **Zootaxa** 3250:63-65.
- Silva Pereira, T., J.F. Gomes Pio, A.R. Calor & C.E. Copatti. 2017. Can the substrate influence the distribution and composition of benthic macroinvertebrates in streams in northeastern Brazil? **Limnologica** 63:27-30.
- Vilaça, T.R.A., J.R. dos Santos Silva & M. Solé. 2011. Vocalization and territorial behaviour of *Phyllomedusa nordestina* Caramaschi, 2006 (Anura: Hylidae) from southern Bahia, Brazil. **Journal of Natural History** 45(29-30): 1823-1834.

- Vilela, F.S., K.M. Flesher & M. Ramalho. 2012. Dispersal and predation of *Eschweilera ovata* seeds in the Atlantic Forest of Southern Bahia, Brazil. **Journal of Tropical Ecology** 28:223-226.
- Vivas, C.V., R.C. Souza Moraes, A. Alves-Araújo, M. Alves, E. Mariano-Neto, C. van den Berg & F. Amato Gaiotto. 2014. DNA barcoding in Atlantic Forest plants: What is the best marker for Sapotaceae species identification? **Genetics and Molecular Biology** 37 (4):662-670.
- Xavier, A.L., T.P.S. Galindo, P.A. Ferreira, P.E.S. de Moura & C.E.P. Almeida. 2008. Comparação entre biomassas de quatro grupos de artrópodes cursores em três fitofisionomias da paisagem (Igrapiúna, Bahia, Brasil). **Sitientibus** 8(3/4): 302-306.