




TAURUS

Truck and Bus Tyres

AFFORDABLE & SAFE

- Treat your truck with a good tyre at a good price
- Reinforced steel belts for robustness
- Designed for European conditions
 - from cold winter: M+S / 3PMSF
 - to hot summer: Taurus tyres are running cooler* than competitor's tyres for more safety, longevity and fuel savings

RELIABLE

- Made in Europe (ISO 9001 & 14001 certifications)
- Complying with european regulations (EU labelling, REACH)
- One of the best tyre labelling in its category

Diameter: 17.5" to 22.5"

Series: 65 to 90

Speed Index: J-M

1	2	3	4
C-D	B-C	68 dB A _{B,C} to 76 dB A _{B,C}	


(1) Fuel efficiency (from A to E) - (2) Wet grip (from A to E)
(3) External rolling noise class (from A to C)
(4) External rolling noise measured value (decibel)



The powerful choice!

* Measurements done between 2011 and 2016 during internal running tests on 385/65R22.5 truck trailer tyres. Temperature 15°C lower on average for Taurus tyre vs. 4 competitors tyres representative of Low Intermediate & budget segment in the same dimension (DOUBLE COIN, LING LONG, MATADOR, TRIANGLE).

**Image for 385/65 R 22.5 TAURUS Road Power T



TAURUS RoadPower

Truck and Bus Tyres



TAURUS RoadPower

**MEDIUM TRUCK & LOW-BED TRAILER
REGIONAL & LONG HAUL USE**



ALL POSITION

Size & profile	Load & Speed Index	EU Tyre Label			Winter Marking		Regrooving Reference
		 (1)	 (2)	 (3)			
205/75R17.5 Road Power S	124/122M	D	C	A - 68 dB	M+S		1
215/75R17.5 Road Power S	126/124M	D	C	A - 68 dB	M+S		1
235/75R17.5 Road Power S	132/130M	D	C	A - 68 dB	M+S		1
245/70R17.5 Road Power S	136/134M	D	B	A - 68 dB	M+S		1
265/70R19.5 Road Power S	140/138M	C	C	A - 68 dB	M+S		1
285/70R19.5 Road Power S	146/144L	C	B	A - 72 dB	M+S		1



TRAILER

Size & profile	Load & Speed Index	EU Tyre Label			Winter Marking		Regrooving Reference
		 (1)	 (2)	 (3)			
215/75R17.5 Road Power T	135/133J	D	B	A - 69 dB	M+S		2
235/75R17.5 Road Power T	143/141J	C	B	A - 69 dB	M+S		2
245/70R17.5 Road Power T	143/141J	C	B	A - 69 dB	M+S		2
265/70R19.5 Road Power T	143/141J	C	B	A - 69 dB	M+S		2

● Recommended position ● Possible position

REGROOVING

		
REFERENCE	1	2
BLADE	R3	R3
WIDTH	6 to 8 mm	6 to 8 mm
MAX DEPTH	2 mm	2 mm

The powerful choice!
truck.taurus-tyres.com



All tyres are compliant with UNECE/R54 and ETRTO standards - (1) Fuel efficiency (from A to E) - (2) Wet grip (from A to E) - (3) External rolling noise class (from A to C) & External rolling noise measured value (decibel) - (4) Respect the positions, fitting direction, direction of rotation and any relevant instructions when mentioned on the tyre sidewalls



TAURUS RoadPower

HEAVY TRUCK REGIONAL & LONG HAUL USE



ALL POSITION




Size & profile	Load & Speed Index	EU Tyre Label			Winter Marking		Regrooving Reference
		 (1)	 (2)	 (3)			
295/80R22.5 Road Power S	152/148M	C	C	A - 70 dB	M+S		3
315/80R22.5 Road Power S	156/150L	C	B	A - 70 dB	M+S		3
315/70R22.5 Road Power S	154/150L	C	C	B - 72 dB	M+S		3
385/65R22.5 Road Power S	160K	C	B	B - 72 dB	M+S	 *	3

*Marking available for tyres produced starting with September 2021.



DRIVE




FITTING DIRECTION⁽⁴⁾

Size & profile	Load & Speed Index	EU Tyre Label			Winter Marking		Regrooving Reference
		 (1)	 (2)	 (3)			
295/80R22.5 Road Power D	152/148M	C	C	A - 73 dB	M+S		4
315/80R22.5 Road Power D	156/150L	C	C	A - 73 dB	M+S		4
315/70R22.5 Road Power D	154/150L	C	C	A - 73 dB	M+S		4



TRAILER





Size & profile	Load & Speed Index	EU Tyre Label			Winter Marking		Regrooving Reference
		 (1)	 (2)	 (3)			
385/65R22.5 Road Power T	160K	C	C	A - 70 dB	M+S	 *	5

*Marking available for tyres produced starting with September 2021.

● Recommended position ● Possible position

REGROOVING

			
REFERENCE	3	4	5
BLADE	R3	R3	R4
WIDTH	7 to 8 mm	7 to 8 mm	7 to 8 mm
MAX DEPTH	2 mm	2 mm	2 mm

The powerful choice!
truck.taurus-tyres.com






TAURUS UrbanPower

URBAN BUS



ALL POSITION




Size & profile	Load & Speed Index	EU Tyre Label			Winter Marking		Regrooving Reference
		 (1)	 (2)	 (3)			
275/70R22.5 Urban Power S	150/148J	D	B	A - 71 dB	M+S		6



TAURUS OnOffPower

HEAVY TRUCK ON-OFF USE



ALL POSITION



Size & profile	Load & Speed Index	EU Tyre Label			Winter Marking		Regrooving Reference
		 (1)	 (2)	 (3)			
315/80R22.5 OnOff Power S*	156/150K	C	B	B - 71 dB	M+S		7
13R22.5 OnOff Power S	156/150K	D	B	A - 69 dB	M+S		7
385/65R22.5 OnOff Power S**	160K	C	C	B - 72 dB	M+S	 *	7

*Marking available for tyres produced starting with September 2021.




DRIVE



Size & profile	Load & Speed Index	EU Tyre Label			Winter Marking		Regrooving Reference
		 (1)	 (2)	 (3)			
315/80R22.5 OnOff Power D	156/150K	D	B	B - 76 dB	M+S		8
13R22.5 OnOff Power D	156/150K	D	B	B - 76 dB	M+S		8

● Recommended position ● Possible position

REGROOVING

			
REFERENCE	6	7	8
BLADE	R3	R4	R3
WIDTH	10 mm	10 mm	10 mm
MAX DEPTH	2 mm	2 mm	2 mm

The powerful choice!
truck.taurus-tyres.com

